

# Technical overview Nøtterøy kulturhus.

## **Load in:**

Load in dock directly connected to the stage.

## **Amphitheater:**

Steep amphitheater with 425 seats, where the first row of chairs are on stage level

## **Stage:**

The stage has a width of 11 m and depth of 9,5 m.

On Stage Right side: 4x10m connected to the load in.

On Stage Left side: 1x10m, from this side you have the entrance to the backstage and dressing rooms.

## **Electricity on stage:**

Stage Right: 80A/63A/32A/16 A 240V (Blue connection).

63Ax2/32A/16A 400V (Red connection)

Stage Left: 80A/63A/32A/16A 240V (Blue connection)

## **Stage rig**

28 bars in total

15 motorized bars

8 Pcs. - 250 Kg

7 Pcs - 125 Kg

7 Pcs – rope, 60 Kg

3 Pcs - hand winch

The stage curtain is motorized. Color red.

**PA:**

Line Array EAW KF 730 (6 on each side)

Sub: EAW LA-128z double 18" (2 on each side)

Amplifiers: LAB FP-13000 and LAB FP-10000 Processor EAW UX-8800.

**FOH:**

Yamaha CL5, 64 possible inputs, 24 possible outputs

4 Intercom positions: Sound/Light, Stage left/right.

**Monitors:**

D&B Max 15: 6 Pcs. D&B Max 12: 6 Pcs.

Amplifiers: D&B P 1200A: 3 Pcs. D&B E-Pac: 2 Pcs.

Crown Xti 4000 1 pcs

**Wireless microphone system:**

Receivers 12 Pcs.

Shure UR4D+

Beltpack Shure: 8 Pcs. Countryman headmic: 6 Pcs.

AKG hc 577 headmic: 5 pcs.

Handheld microphone: Shure UR2, 4 Pcs.

Microphone heads, 4 pcs Beta58, 1 pcs KSM9, 1 Pcs DPA D:facto (wireless)

**Light****Light consoles:**

ETC Cobalt20

Magic Q-200

ETC Smartfade 1248

grandMA2 onPC

**48 Dimmers****Moving Lights:**

13 x MARTIN ERA 300 Profile

6 x CLAY PAKY ALPHASPOT 300 HPE

12 x CLAY PAKY K10 WASH

6 x AYRTON MAGICDOT-R

4 x AYRTON NANDOBEAM-S3

**Conventional lights:**

18 x Profile ADB EUROPE 104 15/31 1000w

10 x Profile ADB DS54 18/38 650w

18 x Fresnel ADB EUROPE 101 1000w

10 x Fresnel ADB F51 18/65 650w

20 x PAR64  
8 x PAR Shortnose  
1 x Followspot ADB DN-104 1200w  
17 x ADB ACP1001 1200w

**Stands:**

10 x Manfrotto 111BSU

**Smoke/Haze:**

MDG Haze Atmosphere  
JEM ZR25