

Technical overview Nøtterøy Kulturhus.

Load in:

Load in dock directly connected to the stage.

Amphitheater:

Steep amphitheater with 425 seats, where the first row of chairs are on stage level

Stage:

The stage has a width of 11 m and depth of 9,5 m.

On Stage Right side: 4x10m connected to the load in.

On Stage Left side: 1x10m, from this side you have the entrance to the backstage and dressing rooms.

Electricity on stage:

Stage Right: 80A/63A/32A/16 A 240V (Blue connection).

63Ax2/32A/16A 400V (Red connection)

Stage Left: 80A/63A/32A/16A 240V (Blue connection)

Stage rig

28 bars in total

15 motorized bars

8 Pcs. - 250 Kg

7 Pcs - 125 Kg

7 Pcs – rope, 60 Kg

3 Pcs - hand winch

The stage curtain is motorized. Color red.

PA:

Line Array EAW KF 730 (6 on each side)

Sub: EAW LA-128z double 18" (2 on each side)

Amplifiers: LAB FP-13000 and LAB FP-10000 Processor EAW UX-8800.

FOH:

Yamaha CL5, 64 possible inputs, 24 possible outputs

4 Intercom positions: Sound/Light, Stage left/right.

Monitors:

D&B Max 15: 6 Pcs. D&B Max 12: 6 Pcs.

Amplifiers: D&B P 1200A: 3 Pcs. D&B E-Pac: 2 Pcs.

Crown Xti 4000 1 pcs

Wireless microphone system:

Receivers 12 Pcs.

Shure UR4D+

Beltpack Shure: 8 Pcs. Countryman headmic: 6 Pcs.

AKG hc 577 headmic: 5 pcs.

Handheld microphone: Shure UR2, 4 Pcs.

Microphone heads, 4 pcs Beta58, 1 pcs KSM9, 1 Pcs DPA D:facto

(wireless)

CLUB STAGE:

Yamaha CL1

PA:

EAW Jfl 213 top 4 pcs

EAW LA118 sub, 4 pcs

Lab gruppen amps.

FOH:

Yamaha CL5, 64 possible inputs, 24 possible outputs.

Monitors:

D&b Max12: 6 pcs, Max 15: 6 pcs

8 possible mixes, D&b and Crown amping

Wiring:

Kat-5: 2 Pcs. from FOH. To stage

Left side: 48 send and 12 returns (40 can be split)

Right side: 8 send and 4 returns + snake with 12 send.

All cables go to the FOH position.

Light consoles:

Grand MA3 light CRV

ETC Cobalt20

Magic Q-200

Chamsys QuickQ 20

MA onPc with Command wing

Dimmers:

48 dimmer circuits, dimmer patch stage right.

Moving Heads:

Martin ERA 300 13 Pcs.

Clay Paky Aleda wash K-10, 12 Pcs.

Clay Paky Alphaspot HPE 300, 6 Pcs.

Ayrton NandoBeam-S3 4 Pcs.

Ayrton MagicDot-R 6 Pcs.

Conventional luminaires:

Profiles: ADB Europe 104 15/31 1200W 18 Pcs.

Fresnell: ADB Europe 101 1200W 18 Pcs.

Cyclorama: ADB ALP 1000W 14 Pcs.

Par 64 CP-62/61 1000W 20 Pcs.

Par 64 shortnose 1000W 8 Pcs.

Follow spot: ADB DN-104 1200W 1 Pcs.

Stands: Manfrotto 111BSU 10 Pcs. (6 with T-Bar)

Haze:

MDG Haze Atmosphere

Smoke: Jem ZR25

Projector:

Barco RLS W12 (Projector in fixed position with motorized lift.)